

# Choose black bin



# to live green!



### **Our products**





## Plastic waste bins with 2 wheels

U-2.	page
X Urban Series	
60 L	14
80 L	15
120 L	16
240 L	17
360 L	18
X Standard Series	
140 L SP	19
240 L	20
X   Premium Series	
120 L	21
240 L	22
X   H Series	
240 L	23

## Plastic waste containers with 4 wheels

	page
X Premium Series	
660 L	26
770 L	27
1100 L Flat lid	28
1100 L Round lid	29
Wrban Series 1100 L Flat lid NEW	31





## **Litter bins**Post mounted bins

	page
Premium 50 L NEW	33
DIN 50 L	33
Stilo 30 L NEW	34

### Free-standing bins

		page
Stilo 80 L	NEW	34
Stilo 100 L, Stilo Select	NEW	35
Roto 80 L	NEW	36
Selecta	NEW	37
Composter 420 L	NEW	40
Containers and bins for bio waste		41
Waste bin Trio		42
Classic bin 85 L		43
Waste bin 60 L PRO		44
Pressboy		45









### Founded in 1974

We started as a family business back in 1974.

Plastik Gogić employs today over 200 people, operates in more than 60 countries and specializes in the field of injection moulding of various plastic products.

The family-run business from the 1970s has developed into a serious organization whose **80% of revenue comes from the export activities.** 

The basic principles remain the same: perseverance, flexibility, professional approach and social responsibility.

### Plans

### **Our Mission**

Plastik Gogić will continue to develop business by taking care of its employees, environmental protection and strengthening relationship with partners worldwide.

### Total area more than 50000 m<sup>2</sup>, production on 15000 m<sup>2</sup>











## What do we produce?

There are four areas in which Plastik Gogić offers its products to the market.

The most important are plastic bins and waste containers, which are delivered to numerous partners around the world.

The company is also present in the field of sports, where we have specialized in the production of multifunctional flooring and stadium chairs.

In our product range you can find round vats of different sizes, as well as products for home, professional and industrial use.

### Constant growth and development

From year to year, the company achieves exceptional results in terms of growth and development.

### **Production**

Automated production process with state-of-the-art machines up to 5,500 tons of clamping force.

### **Certificates and awards**

Plastik Gogić products are certified with EN 840, GS mark and other technical norms and standards, while management system is organized according to ISO 9001, ISO 14001 and ISO 45001.

We are proud to be awarded numerous prizes to recognize our social responsibility and dedicated work: Business Leader Award by Chamber of Commerce and Industry of Serbia, Probusiness Leader for best company in Serbia, October Award of Municipality of Indijia etc.



### **Markets worldwide**

We are pround that the company Plastik Gogić yearly produces and delivers **1.000.000 bins and containers** to customers in **60 countries worldwide**.

### QUALITY

The quality of our products is best confirmed by the quality systems we have applied: ISO 9001, 14001, 45001, while for products from the group of waste disposal containers we have specialized certificates, such as EN 840.

### **Quality comes first**

The company Plastik Gogić has also formed a laboratory in which the properties of our products are examined and tested.

Experts guarantee safety and longevity, and the growing number of companies we work with is proof that we are on the right track.

### **Quality Control**

Each sample is inspected in detail for strength and durability.



### Finished product testing

Testing conducted in accordance to EN 840-5 norm simulate real life, extreme conditions.



## Fully automated testing process

Tensile strength, ductility, impact strength and many more parameters are constantly monitored




### INNOVATION



Plastic Gogić is fully dedicated to development of new products, distinguished by their operational flexibility and creating new value for end users. In our own R&D department we are driven by the idea to provide our customers with reliable, attractive and user-friendly solutions.

All this is possible with great support from our partners' side – world's leading mould makers and manufacturers of other equipment in the field of injection moulding.



### plastic bins solutions

**PLASTIC BINS WITH 2 WHEELS** by Plastik Gogić include all components necessary for a cleaner and healthier environment in households, large factories and city streets.

Waste bins are made from HDPE (high-density polyethylene), which is ideal for waste disposal. Some superior properties of this exceptional material are: high chemical resistance, 100% recyclability, good impact strength, resistance to temperatures from -30 $^{\circ}$ C up to +80 $^{\circ}$ C, UV protected ...



### Waste bin 60 L

### X Urban Series





Recycling inserts for waste sorting and gravity lock



Fastening clamps with seal



Colour Clip marking with Braille inscription

### **TECHNICAL DATA**

Volume: 60 L

**Dimensions:** 445 x 522 x 935 mm

Weight: 8.5 KG (± 3%)

#### Max payload (load capacity):

- \* max loading weight 24 KG (±5%)
- \* max total weight 50 KG (±5%)

Wheels: 2 rubber wheels Ø200mm

Material: HDPE

Temperature resistant: -30°C to +80°C

#### CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Chip nest

### STANDARD COLORS (approx)






\* Other colors on request.



- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminium
- Marking: hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- RFID Chip





### Waste bin 80 L

### X Urban Series





Recycling inserts for waste sorting and gravity lock



Fastening clamps with seal



Plastic foot pedal

#### **TECHNICAL DATA**

Volume: 80 L

**Dimensions:** 445 x 522 x 935 mm

Weight: 8.2 KG (8.2 KG with pedal) (+/- 3%)

#### Max payload (load capacity):

- \* max loading weight 32 KG (+/-5%)
- \* max total weight 50 KG (+/-5%)

Wheels: 2 rubber wheels Ø200mm

Material: HDPE

Temperature resistant: -30°C to +80°C

#### **CHARACTERISTICS**

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Axle bearing in the stack at the edge of container
- Chip nest

#### STANDARD COLORS (approx)











\* Other colors on request.










- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminium
- Marking: hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- Foot pedal
- RFID Chip





### Waste bin 120 L

### X Urban Series





Recycling inserts for waste sorting and gravity lock



Fastening clamps with seal



Colour Clip marking with Braille inscription

#### **TECHNICAL DATA**

Volume: 120 L

Dimensions: 480 x 555 x 954 mm

Weight: 8.2 KG (± 3%)

#### Max payload (load capacity):

- \* max loading weight 48 KG (±5%)
- \* max total weight 60 KG (±5%)

Wheels: 2 rubber wheels Ø200mm

(optional Ø250mm)

Material: HDPE

Temperature resistant: -30°C to +80°C

#### CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Axle bearing in the stack at the edge of container
- Chip nest

#### STANDARD COLORS (approx)







\* Other colors on request.



- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminium
- Marking: hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- Foot pedal
- RFID Chip





### Waste bin 240 L

### X Urban Series






2 detachable fastening clamps



Recycling inserts for waste sorting and gravity lock



Honey-comb comb receiver



Colour Clip marking with Braille inscription

#### **TECHNICAL DATA**

Volume: 240 L

**Dimensions:** 578 x 731 x 1080 mm

Weight: 11.5 kg (± 3%)

Max payload (load capacity):

\*max loading weight 96KG (+/-5%)

\*max total weight 110 KG (± 5%)

Wheels: 2 rubber wheels Ø200mm

(optional Ø250 or Ø300mm)

Material: HDPE

Temperature resistant: -30°C to +80°C

#### **CHARACTERISTICS**

- Corrosion-free steel axle
- Foot board
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip-handle lid


### STANDARD COLORS (approx)




\* Other colors on request.



- Recycling inserts for PET, paper and glass
- Foot pedal
- Chip nest
- Locking system
- Noise reduction
- Fastening clamps
- Marking / Hot stamping / Thermo transfer






### Waste bin 360 L

### X | Urban Series





Recycling inserts for waste sorting and gravity lock



Honey-comb comb receiver



Colour Clip marking with Braille inscription

#### **TECHNICAL DATA**

Volume: 360 L

**Dimensions:** 596 x 880 x 1099 mm

Weight: 15.4 KG (± 3%)

#### Max payload (load capacity):

- \* max loading weight 144 KG (±5%)
- \* max total weight 160 KG (±5%)

Wheels: 2 rubber wheels Ø200mm (optional Ø250 or Ø300mm)

Material: HDPE

Temperature resistant: -30°C to +80°C

#### **CHARACTERISTICS**

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Lip Handle protects the touch point from dirt
- Chip nest

### STANDARD COLORS (approx)



\* Other colors on request.



- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminium
- Marking: hot stamping, hot foil, labeling
- Coloured clips for waste identification
- Foot pedal
- RFID Chip





### Waste bin 140 L SP

### X | Standard SP Series





Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock \*Other options on request



Marking: labels / thermo- transfer / hot- stamping / tool embosing

#### **TECHNICAL DATA**

Volume: 140 L

Dimensions:  $480 \times 550 \times 1055 \text{ mm}$ 

Weight: 9,6 KG (+/- 3%)
Max payload (load capacity):

\*max loading weight 56 KG (+/-5%) \*max total weight 70 KG (+/-5%)

Material: HDPE

**Temperature resistant:** -30°C to +80°C **Wheels:** 2 rubber wheels Ø200

#### **CHARACTERISTICS**

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Chip nest


### STANDARD COLORS (approx)




\* Other colors on request.



- Gravity lock, triangular lock
- Foot pedal
- RFID Chip
- Marking: hot stamping, hot foil, labeling





### Waste bin 240 L

### X | Standard Series





Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock \*Other options on request



Marking: labels / thermo- transfer / hot- stamping / tool embosing

#### **TECHNICAL DATA**

Volume: 240 L

Dimensions:  $580 \times 740 \times 1070 \text{ mm}$ 

Weight: 12,60 KG (+/- 3%)
Max payload (load capacity):

\* max loading weight 96 KG (+/-5%)

\* max total weight 110 KG (+/-5%)

Material: HDPE

**Temperature resistant:** -30°C to +80°C **Wheels:** 2 rubber wheels Ø200

#### CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Chip nest
- Two-handle lid


### STANDARD COLORS (approx)




\* Other colors on request.



- Foot pedal
- Gravity lock, triangular lock
- Marking: hot stamping, hot foil, labeling
- RFID Chip





### Waste bin 120 L

### X | Premium Series





Recycling inserts for waste sorting



Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock \*Other options on request



Marking: labels / thermo- transfer / hot-stamping / tool embosing

#### **TECHNICAL DATA**

Volume: 120 L

Dimensions: 480 x 550 x 964 mm

Weight: 9,1 KG (+/- 3%)

### Max payload (load capacity):

- \* max loading weight 48 KG (+/-5%)
- \* max total weight 60 KG (+/-5%)

Material: HDPE

Wheels: 2 rubber wheels Ø200

#### **CHARACTERISTICS**

- Galvanized, corrosion-free steel axle
- Additional reinforcement on walls form of curved surface
- Reinforced comb receiver (honey-comb structure)
- Lip Handle protects the touch point from dirt
- Axle bearing in the stack edge of bin
- Foot board
- Chip nest

#### STANDARD COLORS (approx)















- Foot pedal
- Triangular lock
- Marking: hot stamping, hot foil, labeling
- Noise reduction
- Colored clips for waste identification
- Recycling inserts
- RFID Chip





### Waste bin 240 L

### X | Premium Series





Recycling inserts for waste sorting



Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock \*Other options on request



Marking: labels / thermo- transfer / hot-stamping / tool embosing

#### **TECHNICAL DATA**

Volume: 240 L

**Dimensions:** 578 x 734 x 1080 mm

Weight: 12,80 KG (+/- 3%) Max payload (load capacity):

- \* max loading weight 96 KG (+/-5%)
- \* max total weight 110 KG (+/-5%)

Material: HDPE

#### **CHARACTERISTICS**

- Galvanized, corrosion-free steel axle
- Additional reinforcement on walls form of curved surface
- Reinforced comb receiver (honey-comb structure)
- Lip Handle protects the touch point from dirt
- Foot board
- Chip nest

STANDARD COLORS (approx)











\* Other colors on request.








### **OPTIONS**

- Foot pedal
- Gravity lock, triangular lock
- Lip Handle cover
- Marking: hot stamping, hot foil, labeling

Wheels: 2 rubber wheels Ø200 (optional Ø250)

- Noise reduction
- Colored clips for waste identification
- Recycling inserts
- RFID Chip



### Waste bin 240 L H

### X | H Series





Recycling inserts for waste sorting



Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock \*Other options on request



Marking: labels / thermo- transfer / hot-stamping / tool embosing

#### **TECHNICAL DATA**

Volume: 240 L

**Dimensions:** 585 x740 x 1070 mm

Weight: 12,80 KG (+/- 3%) Max payload (load capacity):

- \* max loading weight 96 KG (+/-5%)
- \* max total weight 110 KG (+/-5%)

Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 2 rubber wheels Ø200

#### **CHARACTERISTICS**

- Galvanized, corrosion-free steel axle
- Additional reinforcement on walls form of curved surface
- Reinforced comb receiver (honey-comb structure)
- Two handle lid
- Additional handle on the front wall
- Chip nest

### STANDARD COLORS (approx)














\* Other colors on request.












- Foot pedal
- Gravity lock, triangular lock
- Marking: hot stamping, hot foil, labeling
- RFID Chip









### plastic bins solutions

### Plastic containers with 4 wheels

Plastic waste containers are made of high density polyethylene according to **EN 840**, environmentally friendly production, resistant to temperature, chemicals and UV radiation. Containers are recyclable.

### Plastic container 660 L

### with flat lid

### X Premium Series





Recycling inserts for waste sorting



Foot pedal - Handless lid opening



Locking system: Manual lock / Gravity lock \*Other options on request



Marking: labels / thermo- transfer / hot-stamping / tool embosing

#### **TECHNICAL DATA**

Volume: 660 L

**Dimensions:** 1370 x 778 x 1228 mm

Weight: 38 KG (+/- 3%)

#### Max payload (load capacity):

- \* max loading weight 264 KG
- \* max total weight 310 KG

Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 4 rubber wheels Ø200

#### **CHARACTERISTICS**

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (Honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Plug at the bottom
- Chip nest

#### STANDARD COLORS (approx)












\* Other colors on request.








- Side receivers; side handles
- Gravity lock; triangular lock
- Foot pedal
- Recycling inserts for glass and packaging
- Marking: hot stamping, hot foil, labeling
- RFID Chip





### Plastic container 770 L

### with flat lid

### X | Premium Series





Recycling inserts for waste sorting



Foot pedal - Handless lid opening



Locking system: Manual lock / Gravity lock \*Other options on request



Marking: labels / thermo- transfer / hot- stamping / tool embosing

#### **TECHNICAL DATA**

Volume: 770 L

Dimensions: 1370 x 778 x 1365 mm Weight: around 40 KG (+/- 5%) Max payload (load capacity):

- \* max loading weight 308 KG
- \* max total weight 360 KG

Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 4 rubber wheels ∅200

#### **CHARACTERISTICS**

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (Honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Plug at the bottom
- Chip nest

### STANDARD COLORS (approx)






\* Other colors on request.



- Side receivers; side handles
- Gravity lock; triangular lock
- Foot pedal
- Recycling inserts for glass and packaging
- Marking: hot stamping, hot foil, labeling
- RFID Chip



### Plastic container 1100 L

### with flat lid

### X | Premium Series





Recycling inserts for waste sorting



Foot pedal - Handless lid opening



Locking system: Manual lock / Gravity lock thermo - transfer / hot \*Other options on request stamping / tool embosing



Marking: labels



Hood "hood" in the lid



Lid in Lid For easier handling of smaller waste - option "lid in the lid"

#### **TECHNICAL DATA**

Volume: 1100 L

**Dimensions:** 1370 x 1070 x 1344 mm

Weight: 46 KG (+/- 3%)

#### Max payload (load capacity):

- \* max loading weight 440 KG
- \* max total weight 510 KG

Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 4 rubber wheels Ø200

#### **CHARACTERISTICS**

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (Honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Plug at the bottom
- Chip nest

### STANDARD COLORS (approx)











\* Other colors on request.










- Side receivers; side handles
- Gravity lock; triangular lock
- Foot pedal
- Recycling inserts for glass and packaging
- Lid in Lid
- Marking: hot stamping, hot foil, labeling
- RFID Chip



### Plastic container 1100 L

### with round lid

### X Premium Series





Recycling inserts for waste sorting



Foot pedal - Handless lid opening



Locking system: Manual lock / Gravity lock \*Other options on request stamping / tool embosing



Marking: labels thermo - transfer / hot



Hood "hood" in the lid



Lid in Lid For easier handling of smaller waste - option "lid in the lid"

### **TECHNICAL DATA**

Volume: 1100 L

**Dimensions:** 1370 x 1070 x 1461 mm

Weight: 54 KG (+/- 3%)

#### Max payload (load capacity):

- \* max loading weight 440 KG
- \* max total weight 510 KG

Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 4 rubber wheels Ø200

#### **CHARACTERISTICS**

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (Honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Plug at the bottom
- Chip nest

### STANDARD COLORS (approx)

















- Side receivers; side handles
- Triangular lock
- Foot pedal
- Recycling inserts for glass and packaging
- Lid in Lid
- Marking: hot stamping, hot foil, labeling
- RFID Chip







### Plastic container 1100 L NEW

### with flat lid

### X Urban Series





Hood and Gravity Lock



Foot Pedal



Lid in Lid

### **TECHNICAL DATA**

Volume: 1100 L

**Dimensions:** 1370 x 1074 x 1355 mm

Weight: 46 KG (+/- 3%)

### Max payload (load capacity):

- \* max loading weight 440 KG
- \* max total weight 510 KG

Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 4 rubber wheels Ø200

#### **CHARACTERISTICS**

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (Honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Plug at the bottom
- Chip nest

### STANDARD COLORS (approx)





\* Other colors on request.








- Side receivers; side handles
- Gravity lock; triangular lock
- Foot pedal
- Recycling inserts for glass and packaging
- Lid in Lid
- Marking: hot stamping, hot foil, labeling
- RFID Chip







HDPE insert.

### Premium 50 L









#### **TECHNICAL DATA**

Volume: 50 L

**Dimensions:** 452 x 358 x 810 mm

Weight: 4.2 KG (+/- 5%)
Material: HDPE

Temperature resistant: -30°C to +80°C

Lockable


Plastic bracket suitable for post and wall mounting (the body is removable from the bracket for easy emptying)

#### **OPTIONS**

- Labeling
- Hot stamping
- A stainless steel pole designed to accommodate one or two bins

#### DIMENSIONS





STANDARD COLORS (approx)









\* Other colors on request.

### **DIN 50 L**



STANDARD COLORS (approx)









\* Other colors on request.





Marking: labels / thermo- transfer / hot- stamping



Locking system: Manual lock \*Other options on request

#### **TECHNICAL DATA**

Volume: 50 L

Dimensions: 430 x 340 x 740 mm

Weight: 4 KG (+/- 5%)
Material: HDPE

Temperature resistant: -30°C to +80°C

Marking

Hot stamping

Stainless steel pole on which can be

mounted one or two bins


Colors: green, orange, dark grey, light grey

### Stilo 30 L











### **TECHNICAL DATA**

VOLUME:

DIMENSIONS:

30 L

Height: 690 mm, Width: 320 mm, Depth: 280 mm


#### **OPTIONS:**

Choice of colours • Doors with wooden inserts Integrated ashtray

### Stilo 80 L NEW







### **TECHNICAL DATA**

VOLUME:

DIMENSIONS:

80 L

Height: 1180 mm, Width: 500 mm, Depth: 480 mm


#### **OPTIONS:**

Choice of colours • Doors with wooden inserts

### Stilo 100 L NEW









### **TECHNICAL DATA**

VOLUME:

DIMENSIONS:

100 L

Height: 1305 mm, Width: 500 mm, Depth: 480 mm

#### **OPTIONS:**

Choice of colours • Doors with wooden inserts

### Stilo select NEW





### **TECHNICAL DATA**

VOLUME:


4 x 40 L

DIMENSIONS:

Heiht: 1142mm, Width: 1378mm, Depth: 380mm

OPTIONS:


Choice of colours














### **TECHNICAL DATA**

VOLUME:

80 L

Dimensions: 548 x 525 x 1063 mm

### **FEATURES**

Made of high quality LDPE, Resistant to aggressive materials and extreme weather conditions, Hinged door with inner HDPE liner.

### **OPTIONS**

Locking mechanism,
Marking by labeling,
In different colors to facilitate
waste disposal,
Integrated ashtray.

### Selecta

# recycling set



#### **TECHNICAL DATA**

Volume: 4 x 40 L

Dimensions: 1388 x 368 x 813

Weight: 26 KG (± 5%)

Set with 4 independent recycling apertures

Made of high quality LDPE


Resistant to aggressive materials and extreme weather conditions

#### **FEATURES**


- Compact recycling set with 4 fractions made of LDPE
- Emptying door with 4 recycling inserts on top surface
- Open apertures in different colors and shapes to facilitate waste disposal
- Large front wall surface suitable for placing decorative plates and promotional messages

#### **OPTIONS**

- Locking mechanism
- Marking by labeling, hot stamping or thermo-transfer technology
- Tailor-made engraved or printed decorative plates








# Composter 420 L NEW





Easy assembling



210 lit module

#### **TECHNICAL DATA**

**Volume:** ~ 420 L; expandable with a 210 lit modules\*

Dimensions: 805 x 805 x 826 mm


Weight: 7,1k g

Material: PP Copolymer

#### **FEATURES**

- Optimal humidity and aeration,
- Side and lower holes enable upward aeration, while preventing excessive wetting,
- Open base enable microorganisms exchange,
- Big cover lid with integrated wind-proof latch,
- Large doors for easy compost release,
- Internal ribbs reinforce the structure
- Simply assembling without tools;

#### **VENTILATION AND HUMIDIFYING**



### Containers and bins for bio waste

Organic bio waste originates from plant or animal sources and is predominatly stored in bio waste containers. During the process of transformation into compost the exsisting juices evaporate, which lead to lower weight and volume of the organic waste.



### TECHNICAL DATA

Waste bin with 2 wheels

Volume: 120lt, 140lt, 240lt

Material: HDPE Color: brown

#### **TECHNICAL DATA**

Waste container with 4 wheels

Volume: 660lt, 770lt, 1100lt

Material: HDPE Color: brown


#### **FOLDABLE GRID FOR BIN**

Made of plastic, without metal parts, attached to the body with 2 plastic hinges.

It separates the bio waste in 2 sections- the fluids drop down, while the dry content is kept above.

THE GRID IS HINGED ON AN AXLE SO THAT IT CAN BE LIFTED INTO A VERTICAL POSITION THUS:

Facilitating the collection process Allowing washing of the bin bottom.





#### LATERAL HOLES

Enable air circulation for easier drying and reduction of unpleasant odours.

- \* Optimal air circulation from the bottom to the top, maintaining an adequate oxygen level
- \* Reduce gases, and thus the bad odours
- \* Creates a favourable composing environment
- \* Options: lid distance rubber cushion for additional ventilation

#### THE BIOFILTER LID "System Biologic TM"



Our 2-wheel bins from 60 to 240L can be upgraded with the Bio Filter lid. The filter contains active micro-organisms which degrade bad smell and initiate composting.

**Note:** The Bio Filter should only be mounted on bins without lateral holes.

### **Waste bin Trio**



#### **TECHNICAL DATA**

Volume: 60 L

Dimensions: 500 x 650 mm Weight: approx. 4,0 kg (+/-3%)

Material: HDPE

#### **TECHNICAL DATA**

Volume: 80 L

Dimensions: 500 x 820 mm Weight: approx. 5,00 kg (+/-3%)

Material: HDPE

#### **TECHNICAL DATA**

Volume: 100 L

Dimensions: 500 x 950 mm

Weight: approx. 6,00 kg (+/-3%)

Material: HDPE

#### **OPTIONS:**

Marking

Colors: black, green







## Classic bin 85 L







Solid / HDPI



Lid with handle

#### **TECHNICAL DATA**

Volume: 85 lt

Dimensions: 560 x 520 x 710 mm Weight: approx. 5,8 KG (+/-3%) Material: HDPE, UV-stabilized,

resistant to high and low temperatures

Body of bin in form of a roll

Lid with handle

Temperature resistant: from -30°C to +80°C

Marking: Labels Colors: black

#### STANDARD COLORS (apx)



43

\* Other colors on request.

### Waste bin 60 L PRO

### X | Urban Series





Recycling inserts



Pedal



Colour Clip marking with Braille inscription

#### **TECHNICAL DATA**

Volume: 60 L

**Dimensions:** 445 x 522 x 690 mm

Weight: 5,20 KG (+/- 3%)

#### Max payload (load capacity):

\*max loading weight 24 KG (+/-2%)

\*max total weight 50 KG (+/-5%)

Material: HDPE

Temperature resistant: -30°C to +80°C

#### CHARACTERISTICS

- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Chip nest

#### STANDARD COLORS (approx)






\* Other colors on request.



#### OPTIONS

- Triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminium
- Marking: hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- Foot pedal
- RFID Chip





# **Pressboy**



# VIDEO PRESSBOY™ instruction manual

#### **TECHNICAL DATA**

Volume: 35 L

Dimensions: 325 x 245 x 485 mm

Waste bin with integrated pressing device

Reduces garbage: makes out of 3 only 1 garbage bag.with special

PRESSBOY™ bags with tying tape and scent of vanilla – biodegradable

Small box for collection of garbage in the kitchen, bathroom,

WC, in the house, in the bureau

For waste such as plastic, paper, organic, refuse waste

#### **EASY TO USE**

Draw out integrated pressing stamp.

Press the waste collection in the bin.

Put the pressing stamp back.

Ready



















MNG Plastik Gogić doo Indjija 22320 Indjija, Kralja Petra I 227, SERBIA +381 (22) 561-674 ; 555-306

> office@plastikgogic.rs www.plastikgogic.rs







