

PlastikGogić


AGRICULTURE
INDUSTRY
LOGISTICS



PG 785B-S

Big Box Solid

Closed walls and bottom, ideal for transport and storage in food industry.




- Dimensions:**
1200 x 1000 x 785 mm (±5 mm)
Volume: 690 lit
Max Load per box: 500 kg
Max static load: 5000 kg
Lid weight (option): 7.5 kg ± 3%
Material: HDPE
- Versions:** 4 feet, 2 skids, 3 skids, 4 wheels (reduced load capacity)
- Weight:**
- | | |
|---------|------------|
| 4 feet | 33 kg ± 3% |
| 2 skids | 37 kg ± 3% |
| 3 skids | 40 kg ± 3% |

PG 785B

Big Box

Perforated walls and bottom for optimal airflow.
Ideal for transport and storage of fruit and vegetables.




- Dimensions:**
1200 x 1000 x 785mm (±5 mm)
Volume: 690 lit
Max Load per box: 500 kg
Max static load: 5000 kg
Lid weight (option): 7.5 kg ± 3%
Material: HDPE
- Versions:** 4 feet, 2 skids, 3 skids, 4 wheels (reduced load capacity)
- Weight:**
- | | |
|---------|------------|
| 4 feet | 31 kg ± 3% |
| 2 skids | 34 kg ± 3% |
| 3 skids | 37 kg ± 3% |

PG 580B

Big Box

Perforated walls and bottom for optimal airflow.
Ideal for transport and storage of fruit and vegetables.




- Dimensions:**
1200 x 1000 x 580 mm (±5 mm)
Volume: 450 lit
Max Load per box: 500 kg
Max static load: 5000 kg
Lid weight (option): 7.5 kg ± 3%
Material: HDPE
- Versions:** 4 feet, 2 skids, 3 skids, 4 wheels (reduced load capacity)
- Weight:**
- | | |
|---------|--------------|
| 4 feet | 26 kg ± 3% |
| 2 skids | 28 kg ± 3% |
| 3 skids | 31.5 kg ± 3% |

PG 785A

Big Box



Perforated walls and bottom for optimal airflow.
Ideal for transport and storage of fruit and vegetables.



- Dimensions:**
1200 x 1000 x 785 mm (±5 mm)
Volume: 690 lit
Max Load per box: 500 kg
Max static load: 5000 kg
Lid weight (option): 7.5 kg ± 3%
Material: HDPE
- Versions:** 4 feet, 2 skids
- Weight:**
- | | |
|---------|--------------|
| 4 feet | 36 kg ± 3% |
| 2 skids | 38.5 kg ± 3% |

PG E-2 Crate E2 original


E-2 Meat Crate (DIN 55423), made from durable virgin HDPE, ensures safe, hygienic storage and transport of meat and food products. Its impact-resistant, easy-to-clean design, efficient stackability, and full cross-compatibility with pooled reusable systems support both operational efficiency and circular-economy use.



Dimensions: 600 x 400x 200 mm (±5 mm)
Weight: 2 kg ± 3%
Volume: 40 lit
Max load: 10-14 kg
Material: HDPE

PG H-12 Holland crate


H-12 Holland Crate (550 × 375 × 150 mm), made from durable PP regranulate or HDPE, provides secure, efficient handling of fruit and vegetables during harvesting, transport, and storage. Its robust construction, easy cleaning, stackable design, and full cross-compatibility within reusable pooled systems support reliable, space-efficient, circular-economy operation.



Dimensions: 550×375×150mm (±5mm)
Stacking height: 138 mm
Weight: 1.15 kg ±3%
Volume: 23 lit
Max load: 10-14 kg
Material: r-PP or HDPE

PG B-6 Blueberry Crate


B-6 Blueberry Crate (500 × 300 × 90 mm, usable height 60 mm) provides stable, space-efficient handling of up to 8 kg of fresh blueberries. Its durable PP regranulate or HDPE construction, impact and UV resistance, easy cleaning, and full cross-compatibility within reusable pooled systems ensure reliable performance in modern circular-economy harvest and transport operations.



Dimensions: 500 × 300 × 90 mm (±5 mm)
Usable height: 60 mm
Stacking height: 92 mm
Weight: 470 gr ±3%
Volume: 8 lit
Max load: 8 kg
Material: r-PP or HDPE

PG M-3 Raspberry Crate

Raspberry Crate (500 × 300 × 60 mm, usable height 36 mm) provides stable, space-efficient packing and protection tailored to the specific requirements of raspberries. Its durable construction, optimized ventilation, easy cleaning, and full cross-compatibility within reusable pooled systems support reliable, hygienic, circular-economy handling from harvest to transport.




Dimensions: 500 × 300 × 60 mm (±5 mm)
Usable height: 36 mm
Stacking height: 52 mm
Weight: 380 gr ±3%
Volume: 4 lit
Max load: 3 kg
Material: r-PP or HDPE

Round vats

Vats for fruit, enological and industrial use, suitable to handle and easy to maintain.

Product	Capacity (Lit)	A mm	B mm	C mm	D mm	H mm	Weight (kg)
110l	110	805	735	95	680	295	4,1
225l	225	855	785	115	675	545	5,5
275l	275	1085	1015	100	975	355	7,8
350l	350	940	870	80	720	705	8,9
500l	500	1045	975	62	830	800	11,2
700l	700	1150	1090	95	930	885	17,8
1000l	1000	1325	1225	175	1100	940	24,7



110l

- 805 x 295 x 680 mm
- black, wine red, white
- Other colors on request.



225l

- 855 x 545 x 675 mm
- black, wine red, white
- Other colors on request.



275l

- 1085 x 355 x 975 mm
- black, wine red, white
- Other colors on request.



350l

- 940 x 705 x 720 mm
- black, wine red, white
- Other colors on request.



500l

- 1045 x 800 x 830 mm
- black, wine red, white
- Other colors on request.



700l

- 1150 x 885 x 930 mm
- black, wine red, white
- Other colors on request.



1000l

- 1325 x 940 x 1100 mm
- black, wine red, white
- Other colors on request.



Lid for round vat 500l


- 1045 mm
- black, wine red, white
- Other colors on request.



Lid for round vat 700l

- 1150 mm
- black, wine red, white
- Other colors on request.

PG 1208L-OD Nestable 1200 × 800 mm light pallet




Dimensions: 1200 × 800 × 130 mm (±5 mm)
Weight: 4.9 kg ±3%
Static load*: 1500 kg
Dynamic load*: 700 kg
Material: r-HDPE, HDPE

* uniformly distributed load

Properties:
- 5 mm safety rim
- 9 feet
- Weatherproof; UV and chemical resistant
- 100% Recyclable

Options:
- 3 detachable runners

PG 1208L-CD Nestable 1200 × 800 mm light closed-deck pallet




Dimensions: 1200 × 800 × 130 mm (±5 mm)
Weight: 5.9 kg ±3%
Static load*: 1500 kg
Dynamic load*: 700 kg
Material: r-HDPE, HDPE

* uniformly distributed load

Properties:
- 5 mm safety rim
- 9 feet
- Weatherproof; UV and chemical resistant
- 100% Recyclable

Options:
- 3 detachable runners

PG 1210L-OD Nestable 1200 × 1000 mm light pallet




Dimensions: 1200 × 1000 × 130 mm (±5 mm)
Weight: 5.4 kg ±3%
Static load*: 1500 kg
Dynamic load*: 700 kg
Material: r-HDPE, HDPE

* uniformly distributed load

Properties:
- 5 mm safety rim
- 9 feet
- Weatherproof; UV and chemical resistant
- 100% Recyclable

Options:
- 3 detachable runners

PG 1210L-CD Nestable 1200 × 1000 mm light closed-deck pallet




Dimensions: 1200 × 1000 × 130 mm (±5 mm)
Weight: 6.8 kg ±3%
Static load*: 1500 kg
Dynamic load*: 700 kg
Material: r-HDPE, HDPE

* uniformly distributed load

Properties:
- 5 mm safety rim
- 9 feet
- Weatherproof; UV and chemical resistant
- 100% Recyclable

Options:
- 3 detachable runners

PG 8060L-OD Nestable 800 × 600 mm light pallet



Dimensions: 800 × 600 × 136 mm (±5 mm)
Weight: 3 kg ±3%
Static load*: 900 kg
Dynamic load*: 400 kg
Material: r-HDPE, HDPE

* uniformly distributed load


Properties:
- 5 mm safety rim
- 6 feet
- Weatherproof; UV and chemical resistant
- 100% Recyclable

Options:
- Display inserts

PG 1208M-CD

Mid-weight 1200 × 800 mm closed-deck pallet

Robust all-rounder with a wide list of available options, including steel reinforcements and ESD material.
Closed deck protects products from damage and dirt below.



Dimensions: 1200 × 800 × 150 mm (±5 mm)

Weight: 13 kg ±3% / 15.5 kg ±3% (with 3 steel bars)
Static load*: 4500 kg / 5000 kg (with 3 steel bars)
Dynamic load*: 1500 kg / 1600 kg (with 3 steel bars)
High rack*: 600 kg / 1000 kg (with 3 steel bars)
Material: r-HDPE, HDPE

* uniformly distributed load


Options:

- 3 steel reinforcement bars
- 0/7/22 mm safety rim
- ESD material
- Anti-slip rubber grommets on bottom side

PG 1208M-OD

Mid-weight 1200 × 800 mm open-deck pallet

Robust all-rounder with a wide list of available options, including steel reinforcements and ESD material.



Dimensions: 1200 × 800 × 150 mm (±5 mm)

Weight: 12 kg ±3% / 14.5 kg ±3% (with 3 steel bars)
Static load*: 4500 kg / 5000 kg (with 3 steel bars)
Dynamic load*: 1250 kg / 1500 kg (with 3 steel bars)
High rack*: 500 kg / 900 kg (with 3 steel bars)
Material: r-HDPE, HDPE

* uniformly distributed load



Options:

- 3 steel reinforcement bars
- 0/7/22 mm safety rim
- ESD material
- Anti-slip rubber grommets on bottom side

PG EURO H1

Hygienic pallet with 3 closed skids (compliant with DIN 55423-5 / DIN 55423-6)

Standard in the food industry, hygienic pallet with closed skids, compatible with E1 and E4 Euro plastic crates.



Dimensions: 1200 × 800 × 160 mm (±5 mm)

Weight: 18 kg
Static load capacity: 5000 kg
Dynamic load capacity*: 1250 kg
Racking load capacity*: 1000 kg
Material: HDPE virgin
Color: grey

* uniformly distributed load

Options:

- Safety edge 7 mm
- Central stops

PlastikGogić

MNG Plastik Gogić doo Indjija
22320 Indjija, Kralja Petra I 227, Serbia
+381 (22) 561-674 ; 555-306
office@plastikgogic.rs
www.plastikgogic.rs

