

PlastikGogić

BROCHURE 2026

**AGRICULTURE
INDUSTRY
LOGISTICS**





Moving What Matters



Family values



Founded in 1974

Plastik Gogić is a leading provider of injection-moulded plastic products, employing over 270 people and operating in 70+ countries.

Our Mission

Delivering high-quality plastic products while supporting employees, protecting the environment, and strengthening global partnerships.



What do we produce?

Plastik Gogić delivers a wide range of high-quality solutions to partners in over 70 countries.

Packaging

Plastic pallets, pallet boxes, crates, vats and other versatile solutions for storage, industrial handling, agriculture and food processing.

Waste Management

Durable waste bins and containers for urban, public, and commercial use.

Sports

Multifunctional flooring and stadium seating, designed for comfort and long-lasting performance.

Constant growth and development

Year after year, Plastik Gogić achieves strong growth and continues to expand its capabilities.

Production

Automated manufacturing with advanced machines, offering up to 5,500 tons of clamping force.

Certificates and awards

Our products comply with EN 840, GS mark, and other technical standards, while our management systems are certified to ISO 9001, ISO 14001, and ISO 45001, ensuring the highest standards in quality, safety, and environmental care.


Plastik Gogić is also a proud recipient of numerous awards, recognized for business excellence and its positive impact on society.

PG 785B-S


Big Box Solid

Box pallets

Closed walls and bottom, ideal for transport and storage in food industry.



DETAILS



SPECIFICATIONS

Dimensions: 1200x1000x785mm (±5mm)

Volume: 690 lit

Max Load per box: 500 kg

Max static load: 5000 kg

Weight: 4 feet 33 kg ± 3%
2 skids 37 kg ± 3%
3 skids 40 kg ± 3%

Lid weight (option): 7.5 kg ± 3%

Material: HDPE

Truck: mega H=3.05m  

Truck capacity: 156 pcs 168 pcs (4 feet)
130 pcs 140 pcs (2 or 3 skids)


PROPERTIES

- Stackable
- Smooth inner walls for easy cleaning
- Stack antislip protection
- Improved strength and impact resistant
- Weatherproof; UV and chemical resistant;
- Food safe
- 2 lateral tap openings, fi 55mm
- 100% Recyclable

OPTIONS

- Any standard RAL color
- Embossed marking
- QR code, numbering and text thermal transfer
- Transponder-ready
- Versions: 4 feet, 2 skids, 3 skids, 4 wheels (reduced load capacity)

STANDARD COLORS




PG 785B

Big Box

Box pallets

Perforated walls and bottom for optimal airflow. Ideal for transport and storage of fruit and vegetables.



DETAILS



SPECIFICATIONS

Dimensions: 1200x1000x785mm (±5 mm)

Volume: 690 lit

Max Load per box: 500 kg

Max static load: 5000 kg

Weight: 4 feet 31 kg ± 3%

2 skids 34 kg ± 3%

3 skids 37 kg ± 3%

Lid weight (option): 7.5 kg ± 3%

Material: HDPE

Truck: mega H=3.05m

Truck capacity: 156 pcs 168 pcs (4 feet)
130 pcs 140 pcs (2 or 3 skids)


PROPERTIES

- Stackable
- Smooth inner walls for easy cleaning
- Stack antislip protection
- Improved strength and impact resistant
- Weatherproof; UV and chemical resistant;
- Food safe
- 100% Recyclable

OPTIONS

- Any standard RAL color
- Embossed marking
- QR code, numbering and text thermal transfer
- Transponder-ready
- Versions: 4 feet, 2 skids, 3 skids, 4 wheels (reduced load capacity)
- Lid

STANDARD COLORS




PG 580B



Big Box

Box pallets

Perforated walls and bottom for optimal airflow. Ideal for transport and storage of fruit and vegetables.



DETAILS



SPECIFICATIONS

Dimensions: 1200x1000x580mm (±5 mm)

Volume: 450 lit

Max Load per box: 500 kg

Max static load: 5000 kg

Weight: 4 feet 26 kg ± 3%

2 skids 28 kg ± 3%

3 skids 31.5 kg ± 3%

Lid weight (option): 7.5 kg ± 3%

Material: HDPE

Truck: mega H=3.05m   

Truck capacity: 130 pcs 140 pcs (4 feet)
130 pcs 140 pcs (2 or 3 skids)


PROPERTIES

- Stackable
- Smooth inner walls for easy cleaning
- Stack antislip protection
- Improved strength and impact resistant
- Weatherproof; UV and chemical resistant;
- Food safe
- 100% Recyclable

OPTIONS

- Any standard RAL color
- Embossed marking
- QR code, numbering and text thermal transfer
- RFID Transponder-ready
- Versions: 4 feet, 2 skids, 3 skids, 4 wheels (reduced load capacity)

STANDARD COLORS



PG 785A


Big Box

Box pallets

Perforated walls and bottom for optimal airflow. Ideal for transport and storage of fruit and vegetables.



DETAILS



SPECIFICATIONS

Dimensions: 1200x1000x785mm (±5 mm)

Volume: 690 lit

Max Load per box: 500 kg


Max static load: 5000 kg

Weight: 4 feet 36 kg ± 3%

2 skids 38.5 kg ± 3%

Lid weight (option): 7.5 kg ± 3%

Material: HDPE

Truck: mega H=3.05m   

Truck capacity: 156 pcs 168 pcs (4 feet)
130 pcs 140 pcs (2 skids)


PROPERTIES

- Stackable
- Smooth inner walls for easy cleaning
- Stack antislip protection
- Improved strenth and impact resistant
- Weatherproof; UV and chemical resistant; Pest resistant
- Food safe
- 100% Recyclable

OPTIONS

- Any standard RAL color
- Embossed marking
- QR code, numbering and text thermal transfer
- Versions: 4 feet, 2 skids
- Lid

STANDARD COLORS




PG 1208L-OD


Plastic pallets

Nestable 1200x800mm light pallet

Easy to handle, light weight, nestable “euro-size” pallet.



DETAILS



SPECIFICATIONS

Dimensions: 1200x800x130mm (±5 mm)

Weight: 4.9 kg ± 3%

Static load*: 1500 kg

Dynamic load*: 700 kg

Material: r-HDPE, HDPE

Truck: mega H=3.05m   

Stack: 62 pcs 62 pcs

Stack height: 2880 mm 2880 mm

Truck capacity: 2108 pcs 2356 pcs

* uniformly distributed load

OPTIONS


- Any standard RAL color
- Individual marking
- 3 detachable runners

STANDARD COLORS



PROPERTIES

- Nestable
- 5mm Safety rim
- 9 Feet
- Weatherproof; UV and chemical resistant;
- 100% Recyclable




PG 1208L-CD


Plastic pallets

Nestable 1200x800mm light closed-deck pallet

Easy to handle light weight nestable “euro-size” pallet. Closed deck protects products from damage and dirt below.



DETAILS



SPECIFICATIONS


Dimensions: 1200x800x130mm (±5 mm)

Weight: 5.9 kg ± 3%

Static load*: 1500 kg

Dynamic load*: 700 kg

Material: r-HDPE, HDPE

Truck: mega H=3.05m   

Stack: 62 pcs 62 pcs

Stack height: 2880 mm 2880 mm

Truck capacity: 2108 pcs 2356 pcs

* uniformly distributed load

OPTIONS


- Any standard RAL color
- Individual marking
- 3 detachable runners

STANDARD COLORS



PROPERTIES

- Nestable
- 5mm Safety rim
- 9 Feet
- Weatherproof; UV and chemical resistant;
- 100% Recyclable




PG 1210L-OD




Plastic pallets

Nestable 1200x1000mm light pallet

Easy to handle light weight nestable “industrial-size” pallet.



DETAILS



SPECIFICATIONS


Dimensions: 1200x1000x130mm (±5 mm)

Weight: 5.4 kg ± 3%

Static load*: 1500 kg

Dynamic load*: 700 kg

Material: r-HDPE, HDPE

Truck: mega H=3.05m   

Stack: 62 pcs 62 pcs

Stack height: 2880 mm 2880 mm

Truck capacity: 1612 pcs 1736 pcs

* uniformly distributed load



PROPERTIES

- Nestable
- 5mm Safety rim
- 9 Feet
- Weatherproof; UV and chemical resistant;
- 100% Recyclable

OPTIONS

- Any standard RAL color
- Individual marking
- 3 detachable runners

STANDARD COLORS




PG 1210L-CD

Plastic pallets

Nestable 1200x1000mm light closed-deck pallet

Easy to handle light weight nestable “industrial-size” pallet. Closed deck protects products from damage and dirt below.



DETAILS



SPECIFICATIONS

Dimensions: 1200x1000x130mm (±5 mm)

Weight: 6.8 kg ± 3%

Static load*: 1500 kg

Dynamic load*: 700 kg

Material: r-HDPE, HDPE

Truck: mega H=3.05m   

Stack: 62 pcs 62 pcs

Stack height: 2880 mm 2880 mm

Truck capacity: 1612 pcs 1736 pcs

* uniformly distributed load


PROPERTIES

- Nestable
- 5mm Safety rim
- 9 Feet
- Weatherproof; UV and chemical resistant;
- 100% Recyclable

OPTIONS

- Any standard RAL color
- Individual marking
- 3 detachable runners

STANDARD COLORS



PG 8060L-OD


Plastic pallets

Nestable 800x600mm light pallet

Easy to handle light weight nestable half pallet.



DETAILS



SPECIFICATIONS


Dimensions: 800x600x136mm (±5 mm)

Weight: 3 kg ± 3%

Static load*: 900 kg

Dynamic load*: 400 kg

Material: r-HDPE, HDPE

Truck: mega H=3.05m   

Stack: 80 pcs 80 pcs

Stack height: 2906 mm 2906 mm

Truck capacity: 5440 pcs 6080 pcs

* uniformly distributed load


PROPERTIES

- Nestable
- 6 Feet
- Anti slip studs on top deck
- Weatherproof; UV and chemical resistant;
- 100% Recyclable

OPTIONS

- Any standard RAL color
- Individual marking
- 5mm safety rim
- Display inserts

STANDARD COLORS




PG 1208M-CD


Plastic pallets

Mid-weight 1200x800mm closed-deck pallet

Robust all-rounder with wide list of available options including steel reinforcements and ESD material. Closed deck protects products from damage and dirt below.



DETAILS



SPECIFICATIONS

Dimensions: 1200x800x150mm (±5 mm)

Weight: 13 kg ± 3% / 15.5 kg ± 3% (with 3 steel bars)

Static load*: 4500 kg / 5000 kg (with 3 steel bars)

Dynamic load*: 1500 kg / 1600 kg (with 3 steel bars)

High rack*: 600 kg / 1000 kg (with 3 steel bars)

Material: r-HDPE, HDPE

Truck: mega H=3.05m  

Stack: 19 pcs 19 pcs

Stack height: 2900 mm 2900 mm

Truck capacity: 646 pcs 722 pcs

* uniformly distributed load


PROPERTIES

- 3 skids unwelded
- Smooth surfaces and mostly closed deck for easy cleaning and goods protection
- Weatherproof; UV and chemical resistant;
- RFID chip nest
- 100% Recyclable
- Additional features to fix packaging films
- Rounded edges on all sides of the skids

OPTIONS

- Any standard RAL color
- Individual marking
- 3 steel reinforcement bars
- 0 / 7 / 22 mm safety rim
- ESD material
- Anti slip rubber grommets on bottom side

STANDARD COLORS




PG 1208M-OD

Plastic pallets

Mid-weight 1200x800mm open deck pallet

Robust all-rounder with wide list of available options including steel reinforcements and ESD material.



DETAILS



SPECIFICATIONS

Dimensions: 1200x800x150mm (±5 mm)

Weight: 12 kg ± 3% / 14.5 kg ± 3% (with 3 steel bars)

Static load*: 4500 kg / 5000 kg (with 3 steel bars)

Dynamic load*: 1250 kg / 1500 kg (with 3 steel bars)

High rack*: 500 kg / 900 kg (with 3 steel bars)

Material: r-HDPE, HDPE

Truck: mega H=3.05m  

Stack: 19 pcs 19 pcs

Stack height: 2900 mm 2900 mm

Truck capacity: 646 pcs 722 pcs

* uniformly distributed load


PROPERTIES

- 3 skids unwelded
- Smooth surfaces
- Weatherproof; UV and chemical resistant;
- RFID chip nest
- 100% Recyclable
- Additional features to fix packaging films
- Rounded edges on all sides of the skids

OPTIONS

- Any standard RAL color
- Individual marking
- 3 steel reinforcement bars
- 0 / 7 / 22 mm safety rim
- ESD material
- Anti slip rubber grommets on both sides


STANDARD COLORS



PG E-2

Crate E2 original

E-2 Meat Crate (DIN 55423) made from durable virgin HDPE ensures safe, hygienic storage and transport of meat and food products. Its impact-resistant, easy-to-clean design, efficient stackability, and full cross-compatibility with pooled reusable systems support both operational efficiency and circular-economy use.




Truck:	mega H=3.05m		
Stack:	56 pcs	56 pcs	
Stack height:	2800 mm	2800 mm	
	on pallet	on pallet	
	1200x800x130 mm	1200x800x130 mm	
Truck capacity:	1904 pcs	2128 pcs	

STANDARD COLORS

 
 *As option any standard
 RAL color

SPECIFICATIONS

Outer dimensions*: 600x400x200 mm
 Internal dimensions*: 570x370x197 mm
*tolerances according to DIN 55423-1
 Stacking height: 188mm
 Weight: 2 kg ± 3%
 Volume: 40 lit
 Max load: 30 kg
 Material: HDPE



PG H-12

Holland crate

H-12 Holland Crate (550×375×150 mm) made from durable PO regranulate or HDPE provides secure, efficient handling of fruit and vegetables during harvesting, transport, and storage. Its robust construction, easy cleaning, stackable design, and full cross-compatibility within reusable pooled systems support reliable, space-efficient, circular-economy operation.




Truck:	mega H=3.05m		
Stack:	80 pcs	80 pcs	
	on pallet	on pallet	
	1200x800x130 mm	1200x800x130 mm	
Stack height:	2902 mm	2902 mm	
	on pallet	on pallet	
	1200x800x130 mm	1200x800x130 mm	
Truck capacity:	2720 pcs	3040 pcs	

STANDARD COLORS


 *As option any standard
 RAL color

SPECIFICATIONS

Dimensions: 550x375x150 mm (±5 mm)
 Stacking height: 138 mm
 Weight: 1.15 kg ± 3%
 Volume: 23 lit
 Max load: 10-14 kg
 Material: r-PO or HDPE



PG B-6


Blueberry Crate

B-6 Blueberry Crate (500×300×90 mm, usable height 60 mm) provides stable, space-efficient handling of up to 8 kg of fresh blueberries. Its durable PO regranulate or HDPE construction, impact and UV resistance, easy cleaning, and full cross-compatibility within reusable pooled systems ensure reliable performance in modern circular-economy harvest and transport operations.



SPECIFICATIONS

Dimensions: 500×300×90 mm (±5 mm)
Usable height: 60 mm
Stacking height: 92 mm
Weight: 470 gr ± 3%
Volume: 8 lit
Max load: 8 kg
Material: r-PO or HDPE



Truck: mega H=3.05m  

Stack:	240 pcs	240 pcs
	on pallet	on pallet
	1200x1000x130 mm	1200x1000x130 mm

Stack height:	2898 mm	2898 mm
	on pallet	on pallet
	1200x1000x130 mm	1200x1000x130 mm

Truck capacity:	6240 pcs	6720 pcs
-----------------	----------	----------

STANDARD COLORS



*As option any standard
RAL color

PG M-3


Raspberry Crate

Raspberry Crate (500×300×60 mm, usable height 36 mm) provides stable, space-efficient packing and protection tailored to the specific requirements of raspberries. Its durable construction, optimized ventilation, easy cleaning, and full cross-compatibility within reusable pooled systems support reliable, hygienic, circular-economy handling from harvest to transport.



SPECIFICATIONS

Dimensions: 500×300×60 mm (±5 mm)
Usable height: 36 mm
Stacking height: 52 mm
Weight: 380 gr ± 3%
Volume: 4 lit
Max load: 3 kg
Material: r-PO or HDPE



Truck: mega H=3.05m  

Stack:	424 pcs	424 pcs
	on pallet	on pallet
	1200x1000x130 mm	1200x1000x130 mm

Stack height:	2894 mm	2894 mm
	on pallet	on pallet
	1200x1000x130 mm	1200x1000x130 mm

Truck capacity:	11024 pcs	11872 pcs
-----------------	-----------	-----------

STANDARD COLORS



*As option any standard
RAL color



Round vats

Liquid



Oenology



Household



Industry




Fruit picking



Vats for fruit, enological and industrial use, suitable to handle and easy to maintain.

Product	Capacity (Lt)	A mm	B mm	C mm	D mm	H mm	Weight (kg)
110l	110	805	735	95	680	295	4,1
225l	225	855	785	115	675	545	5,5
275l	275	1085	1015	100	975	355	7,8
350l	350	940	870	80	720	705	8,9
500l	500	1045	975	62	830	800	11,2
700l	700	1150	1090	95	930	885	17,8
1000l	1000	1325	1225	175	1100	940	24,7



110l

↔ 805 x 295 x 680 mm

black, wine red, white



Other colors on request.



225l

↔ 855 x 545 x 675 mm

black, wine red, white



Other colors on request.



275l

↔ 1085 x 355 x 975 mm

black, wine red, white



Other colors on request.

Round vats

Vats



350l

↔ 940 x 705 x 720 mm

black, wine red, white



Other colors on request.



500l

↔ 1045 x 800 x 830 mm

black, wine red, white



Other colors on request.



700l

↔ 1150 x 885 x 930 mm

black, wine red, white



Other colors on request.



1000l

↔ 1325 x 940 x 1100 mm

black, wine red, white



Other colors on request.



**Lid for round vat
500l**

↔ 1045 mm

black, wine red, white



Other colors on request.



**Lid for round vat
700l**

↔ 1150 mm

black, wine red, white



Other colors on request.

Round vats

Vats



100I

↔ 680 x 520 mm

🎨 green, white



Other colors on request.



200I

↔ 790 x 680 mm

🎨 green, white



Other colors on request.



140I

↔ 775 x 740 x 550 mm

🎨 red, green, blue



Other colors on request.



**Lid for round vat
100I**

↔ 530mm

🎨 green, white



Other colors on request.



**Lid for round vat
200I**

↔ 690 mm

🎨 green, white



Other colors on request.



UNI Crate

↔ 500 x 340 x 270 mm

🎨 white, mint green, black



Other colors on request.







PlastikGogić

MNG Plastik Gogić doo Indjija
22320 Indjija, Kralja Petra I 227, SERBIA
+381 (22) 561-674 ; 555-306

office@plastikgogic.rs
www.plastikgogic.rs

